

Metal Apparel Repairs and Sales are a Safety Apparel specialist. We are the industry experts in Metal Mesh safety apparel and Personal Protective Equipment.

OCT 2013

MESH APRONS AND TUNICS

VERSION CONTROL

MARCH 2011 – First Final (Circulated)

11 JUNE 2012 –Page 5 Amendments. (Circulated)

Oct 13 – General product additions/updates



TABLE OF CONTENTS

Mesh Garment Sizing	3	Mesh Tunics.....	8
Mesh Tunics.....	3	ChainexLite Mesh large ring Tunic 90cm.....	8
ChainexXium Long Sleeve Tunics	3	ChainexLite Mesh large ring Tunic 75cm.....	8
Mesh Aprons	3	ChainexXium chainextend small ring sleeved Tunic.....	8
Plate Aprons	3	ChainexXium chainextend small ring sleeved Tunic with SPLIT-LEG	8
Pricing	4	Mesh Tunics.....	9
Mesh Garment Safety Standards	5	ChainexXium small ring sleeved Tunic with Extra Long Split-leg.	9
Mesh and Plate Aprons and Tunics	5	ChainexXium chainextend small ring sleeved Tunic with added length.	9
ChainexLite	5	ChainexXium chainextend small ring, single sleeved Tunic.....	9
Lamex Plus.....	5	ChainexTwo FULL Titanium small ring sleeveless Tunic.	9
ChainexXium split-leg Tunic	5	Tunic Accessories.....	10
Mesh Garment Accessories	5	Tunic Back straps.....	10
Mesh Garment Asset Tag.	5	Tunic Back strap Connector.....	10
Custom Fitting and Life Time Repairs.	5	Tunic Leg straps.....	10
Mesh and Plate aprons	6		
ChainexLite .7mm large ring Apron.....	6		
Chainex Lamex+ Plate Apron.....	6		
Apron Accessories.....	7		
MARS Apron Harnesses.....	7		
Chainex Apron Harness.	7		
MARS Apron Back straps.	7		

MESH GARMENT SIZING

Mesh Tunics and Aprons need to be fitted to the wearer according to their height and chest measurements in order to achieve full Level 1/2 protection under the EN 13998 standard.

Mesh Tunics

Wearer's Chest Measurement	Wearer's Height	Appropriate Size	Weight of Garment
100 cm - 122 cm	168 cm – 178 cm	C25C-ML75x55	1.665 Kg
100 cm - 122 cm	190 cm – 214 cm	C25C-ML90x55	1.8 Kg

Note: Custom Tunic sizing wider than 122cm chest width is available, please contact us for details and pricing.

ChaineXium Long Sleeve Tunics

Use the sizing chart below for all orders of Tunics from this catalogue:

Tag colour	Brown	Green	White	Red	Blue	Orange	Olive
Tunic size	0	1	2	3	4	5	6
	XXS	XS	S	M	L	XL	XXL

Note: Custom sizing above Olive XXL is available. Please contact us for details and pricing.

Mesh Aprons

Wearer's Chest Measurement	Wearer's Height	Appropriate Size	Weight of Garment
70 cm - 100 cm	150 cm – 166 cm	C21C-ML70x45	825 g
100 cm - 122 cm	168 cm – 178 cm	C21C-ML75x55	1.058 Kg
100 cm - 122 cm	178 cm – 190 cm	C21C-ML80x55	1.124 Kg
100 cm - 122 cm	190 cm – 214 cm	C21C-ML90x55	1.237 Kg
122 cm - 133 cm	214 cm – 226 cm	C21C-ML110x60	1.639 Kg

Note: When users chest measurement is outside the range of the matched height measurement, use whichever of the 2 measurements is more than the range. For example the appropriate size for a 130 chest x 195 height is the C21C-ML110x60 using the chest measurement. Contact us for custom sizing if preferred.

Plate Aprons

Wearer's Height	Appropriate Size	Weight of Garment
Under 165 cm	C20CLamex+70x45P	1.2 Kg
Over 165 cm	C20CLamex+75x55P / C24CLamex+90x55P / C21CLamex+101x55P	1.5 Kg +



PRICING

This is a Product Catalogue only and does not contain pricing.

You may find the latest MARS Price List is enclosed with this product catalogue, or please contact us for a copy.

Metal Apparel Repairs and Sales

Email: sales@marssafety.com.au

Phone: (07) 3205 7211



MESH GARMENT SAFETY STANDARDS

Mesh and Plate Aprons and Tunics

All Stainless Steel Mesh Aprons and Tunics in this catalogue confirm to European Standard EN 13998, adopted as the Australian Standard.

ChainexLite

ChainexLite .7mm Tunics and Aprons provide level 2 protection for wide blade knives under the EN 13998 standard. Please refer to the sizing chart on page 3 to ensure correct fit.

Lamex Plus

Lamex Plus Aprons provide level 2 protection for wide blade knives under the EN 412 and ISO 13998 standard. Please refer to the sizing chart on page 3 to ensure correct fit.

ChainexXium split-leg Tunic

Combination SS Torso and Titanium Sleeve Tunics provides level 2 protection to the body and level 1 protection to the sleeve. Please refer to the sizing chart on page 3 to ensure correct fit.

Full Titanium Tunics provide level 1 protection to the body and sleeve.

ChainexTwo Titanium Tunic

ChainexTwo Titanium Tunics provide level 1 protection to the body and sleeve. Available in one size only.

MESH GARMENT ACCESSORIES

Mesh Garment Asset Tag.

We recommend our Stainless Steel numbering tags which enable you to keep track of your Mesh Garments as minor assets.

Your unique ID tag is attached to your glove using our MARS butt fusion welded rings for strength and longevity. When using this system your gloves are kept in our MARS Database against your invoice number for insurance purposes.

Numbered tag
Registered on MARS data base
Price per Mesh Garment



Custom Fitting and Life Time Repairs.

Metal Apparel Repairs and Sales are the Mesh Glove and Apron specialists. We regularly provide custom fitting for our Mesh garments including Split leg Tunics, Glove Cuff and Finger adjustments. All our mesh garments are backed by our life time repair shop where we only have trained Mesh repair technicians using AISI 316 Stainless Steel rings, with butt fusion welds.

What does that mean?

Well, this is what sets us apart from our competitors. Just like the manufacturer, our weld points will not corrode or bulge, providing a smooth surface on all individually welded rings. This is why we are the only Mesh specialist in Australia with manufacturer approved modifications and repairs.

All this adds up to a proper fit and dexterity for you following your glove repair or modification.

No sagging Mesh
No tight fingers
No loose rings
No sewing and only fully approved food grade plastics and materials used.

Use our custom fitting or Mesh garment repair service and see the difference for yourself.



MESH AND PLATE APRONS

ChainexLite .7mm large ring Apron.

These Aprons are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas**. Refer to the sizing chart on page 3 for the appropriate size for the wearer.

Comes with detachable plastic harness.

C21C-ML70x45 (70cm long x 45cm wide)

C21C-ML75x55 (75cm long x 55cm wide)

C21C-ML80x55 (80cm long x 55cm wide)

C21C-ML90x55 (90cm long x 55cm wide)

C21C-ML110x60 (110cm long x 60cm wide)




Chainex Lamex+ Plate Apron.

These Aprons are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas**. Refer to the sizing chart on page 3 for the appropriate size for the wearer.

Stainless Steel Plates instead of .7mm wire mesh. Comes with replaceable plastic harness.

C20CLamex+70x45P (75cm long x 45cm wide)

C20CLamex+75x55P (75cm long x 55cm wide)



ChainexLite SPLIT-LEG large ring Apron.

These light weight **Stainless Steel** aprons come with a split-leg for extra movement and dexterity. They come complete with Harness and leg straps.

C23C-ML80x55SP Small Split-Leg Apron

C23C-ML90x55SP Medium Split-Leg Apron

C23C-ML110x60SP Large Split-Leg Apron



APRON ACCESSORIES

MARS Apron Harnesses.

This MARS harness is specially made by us to provide a greater adjustment range then that offered by other brands.

Suitable for varying body sizes from petite to 8XL.

AHMU-Mbib

MARS Harness set with quick release backstrap.

AHMU-MbibW/OB

MARS Harness as above without backstrap.



Chainex Apron Harness.

Replaceable Harnesses are available for all Aprons.

A HCPL/76x55

Chainex harness set to suit ChainexLite Aprons



MARS Apron Back straps.

The MARS replacement back straps are available for all Aprons.

AHMP-Mback

MARS back strap with quick release durables

AHMP-MbackXL

MARS back strap as above for larger bodies



Replacement Buckles

GBUC3x19MARS

Stainless Steel Slide Buckle

for Apron and Tunic Leg Straps

(fits MARS straps)



Apron Leg straps.

The MARS replacement leg straps are specially made for split-leg Tunics.

In an upper leg and lower leg length.

AHMPL/Leg-BACKM/F

Lower leg Strap


AHMPU/Leg-BackM/F

Upper leg strap



Apron Asset Tag.

We recommend our Stainless Steel numbering tags which enable you to keep track of your Mesh Garments as minor assets.



MESH TUNICS

ChainexLite Mesh large ring Tunic 90cm.

These **Stainless Steel** Tunics are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas.**

90cm long x 55 cm wide. Refer to the sizing chart on page 3 to ensure appropriate fit for wearer.

Available in the Standard Size (Medium) or with a MARS value-add adjustment of 4 neck and girth sizes to ensure a proper fit to the wearer.

Open back and over shoulder. Full tunic to upper legs. Comes with 2 back straps.

C25C-ML90x55P
MEDIUM ChainexLite 90cm
(standard size)

C25C-ML90x55PS
SMALL ChainexLite 90cm
(MARS size)

C25C-ML90x55PL
LARGE ChainexLite 90cm
(MARS size)

C25C-ML90x55PXL
XLARGE ChainexLite 90cm
(MARS size)



ChainexLite Mesh large ring Tunic 75cm.

These **Stainless Steel** Tunics are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas.**


75cm long x 55 cm wide. Refer to the sizing chart on page 3 to ensure this appropriate fit for the wearer.

Open back and over shoulder. Full tunic to upper legs. Comes with 2 back straps.

C25C-ML75x55P
ChainexLite 75cm x 55cm



Open back style



ChaineXium chainextend small ring sleeved Tunic.

These Tunics are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas.**

Available in full Stainless Steel, full Titanium or a combination of Stainless Steel with Titanium Sleeves.

Open back style



Rear view of sleeveless shown



ChaineXium chainextend small ring sleeved Tunic with SPLIT-LEG.

These Tunics are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas.**

Split Leg allowing wide leg stance whilst working.

Available in full Stainless Steel, full Titanium or a combination of Stainless Steel with Titanium Sleeves.

Open back style



Rear view of sleeveless shown



MESH TUNICS

ChaineXium small ring sleeved Tunic with Extra Long Split-leg.

These Tunics are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas.**

Split Leg allowing wide leg stance whilst working

150mm of extra length to front and **250mm** added to back.

Presently available in Titanium only.




ChaineXium chainextend small ring sleeved Tunic with added length.

These Tunics are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas.**

150mm of extra length to front and **250mm** added to back.

Available in full Stainless Steel, full Titanium or a combination of Stainless Steel with Titanium Sleeves.



ChaineXium chainextend small ring, single sleeved Tunic.

These Tunics are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas.**

Available in full Titanium or a combination of Stainless Steel with Titanium Sleeve. Single Sleeve only



ChainexTwo FULL Titanium small ring sleeveless Tunic.

These Titanium Mesh Tunics are suitable for use in **Boning Rooms, Slaughter floor and Slicing areas.**

82 cm long x 54 cm wide. Open back and over shoulder, **full Titanium** sleeveless to upper leg. Comes with MARS quick release back straps.

Titanium Mesh Tunic
Weight= 1100grms

*Please note a 6 -8 week
Lead time may apply on
this product*



TUNIC ACCESSORIES

Tunic Back straps.

The MARS replacement back straps are available for all Tunics.

AHMP-Mback

MARS back strap with quick release durables

AHMP-MbackXL

MARS back strap for Orange/Olive Tunics



Tunic Back strap Connector.

The MARS replacement back strap connector is available for all Tunics.

AHMP-MbackCon

Tunic back strap connector with hook



Tunic Leg straps.

The MARS replacement leg straps are specially made for split-leg Tunics.

In an upper leg and lower leg length.

AHMPL/Leg-BACKM/F

Tunic Lower leg Strap

AHMPU/Leg-BackM/F

Tunic Upper leg strap



Replacement Buckles

GBUC3x19MARS

Stainless Steel Slide Buckle

for Apron and Tunic Leg Straps

(fits MARS straps)



Tunic Asset Tag.

We recommend our Stainless Steel numbering tags which enable you to keep track of your Mesh Garments as minor assets.

